

Mistral-Radialgebläse

Mistral-Radialgebläse



KMM
Kurt Maier Motor-Press GmbH
Elektromotorenteile
Components for electric motors

Kurt Maier Motor-Press GmbH

Birkenweg 18 * DE - 37589 Kalefeld

☎ +49(0)5553 99 01 0 * 📠 +49(0)5553 99 01 88 * ✉ E-mail: info@kmmp.de * <http://www.kmmp.de>



Mistral-Radialgebläse



N

18 modelli/models



Ventilatori centrifughi per basse pressioni e basse portate
 Ventilateurs centrifuges pour basses pressions et debits faibles
 Centrifugal fans for low pressures and low flow rates
 Zentrifugalventilatoren für niedrigen Druck und geringe Leistung
 Ventiladores centrifugos para bajas presiones y bajo alcance

Portata/Rate

m³/s
m³/h

0,017 ÷ 0,7
60 ÷ 2.500


Pressione/Pressure

Pa
mm. H₂O

59 ÷ 1.472
6 ÷ 150

NP

7 modelli/models



Ventilatori centrifughi per medie pressioni e basse portate
 Ventilateurs centrifuges pour moyennes pressions et debits faibles
 Centrifugal fans for medium pressures and low flow rates
 Zentrifugalventilatoren für mittleren Druck und geringe Leistung
 Ventiladores centrifugos para medianas presiones y bajo alcance

Portata/Rate

m³/s
m³/h

0,014 ÷ 0,33
50 ÷ 1.200


Pressione/Pressure

Pa
mm. H₂O

491 ÷ 3.728
50 ÷ 380

B

37 modelli/models



Ventilatori centrifughi per basse pressioni e medio alte portate
 Ventilateurs centrifuges pour basses pressions et debits elevés
 Centrifugal fans for low pressures and high flow rates
 Zentrifugalventilatoren für niedrigen Druck und hohe Leistung
 Ventiladores centrifugos para bajas presiones y alto alcance

Portata/Rate

m³/s
m³/h

0,11 ÷ 5,56
400 ÷ 20.000

Pressione/Pressure

Pa
mm. H₂O

147 ÷ 1.472
15 ÷ 150

BR

23 modelli/models



Ventilatori centrifughi per basse pressioni e medio alte portate
 Ventilateurs centrifuges pour basses pressions et debits elevés
 Centrifugal fans for low pressures and high flow rates
 Zentrifugalventilatoren für niedrigen Druck und hohe Leistung
 Ventiladores centrifugos para bajas presiones y alto alcance

Portata/Rate

m³/s
m³/h

0,25 ÷ 18,9
900 ÷ 68.000


Pressione/Pressure

Pa
mm. H₂O

78 ÷ 3.728
8 ÷ 380

BRQ

23 modelli/models



Ventilatori centrifughi per basse pressioni e medio alte portate
 Ventilateurs centrifuges pour basses pressions et debits elevés
 Centrifugal fans for low pressures and high flow rates
 Zentrifugalventilatoren für niedrigen Druck und hohe Leistung
 Ventiladores centrifugos para bajas presiones y alto alcance

Portata/Rate

m³/s
m³/h

0,25 ÷ 18,9
900 ÷ 68.000

Pressione/Pressure

Pa
mm. H₂O

78 ÷ 3.728
8 ÷ 380

Kurt Maier Motor-Press GmbH

Birkenweg 18 * DE - 37589 Kalefeld

☎ +49(0)5553 99 01 0 * 📠 +49(0)5553 99 01 88 * ✉ E-mail: info@kmmp.de * <http://www.kmmp.de>



Mistral-Radialgebläse



M

11 modelli/models



Ventilatori centrifughi per medie pressioni e medie portate
 Ventilateurs centrifuges pour moyennes pressions et debits moyens
 Centrifugal fans for medium pressures and medium flow rates
 Zentrifugalventilatoren für mittleren Druck und mittlere Leistung
 Ventiladores centrifugos para medias presiones y medio alcance

Portata/Rate

m³/s 0,11 ÷ 2,5
 m³/h 400 ÷ 9.000

Pressione/Pressure

Pa 981 ÷ 3.728
 mm. H₂O 100 ÷ 380

MRS

60 modelli/models



MR

MRL

Ventilatori centrifughi per medio-basse pressioni e medio-alte portate (motore a 4 poli)
 per medio-alte pressioni e medio-alte portate (motore a 2 poli)
 Ventilateurs centrifuges pour basses ou moyennes pressions et debits moyens ou eleves (moteur a 4 poles)
 - pour hautes ou moyennes pressions et debits moyens ou eleves (moteur a 4 poles)
 Centrifugal fans for medium-low pressures and medium-high flow rates (4-pole motor)
 for medium-high pressures and medium-high flow rates (2-pole motor)
 Zentrifugalventilatoren für mittleren Druck und mittelhohe Leistung (4-polige Motore)
 für mittleren Druck und mittelhohe Leistung (2-polige Motore)
 Ventiladores centrifugos para medias-bajas presiones y medio-alto alcance (motor a 4 polos)
 para medias-altas presiones y medio-alto alcance (motor a 2 polos)

Portata/Rate

m³/s 0,11 ÷ 4,97
 m³/h 400 ÷ 17.900

Pressione/Pressure

Pa 343 ÷ 4.022
 mm. H₂O 35 ÷ 410

MRQS

60 modelli/models



MRQ

MRQL

Ventilatori centrifughi per medio-basse pressioni e medio-alte portate (motore a 4 poli)
 per medio-alte pressioni e medio-alte portate (motore a 2 poli)
 Ventilateurs centrifuges pour basses ou moyennes pressions et debits moyens ou eleves (moteur a 4 poles)
 - pour hautes ou moyennes pressions et debits moyens ou eleves (moteur a 4 poles)
 Centrifugal fans for medium-low pressures and medium-high flow rates (4-pole motor)
 for medium-high pressures and medium-high flow rates (2-pole motor)
 Zentrifugalventilatoren für mittleren Druck und mittelhohe Leistung (4-polige Motore)
 für mittleren Druck und mittelhohe Leistung (2-polige Motore)
 Ventiladores centrifugos para medias-bajas presiones y medio-alto alcance (motor a 4 polos)
 para medias-altas presiones y medio-alto alcance (motor a 2 polos)

Portata/Rate

m³/s 0,11 ÷ 4,97
 m³/h 400 ÷ 17.900

Pressione/Pressure

Pa 343 ÷ 4.022
 mm. H₂O 35 ÷ 410

AS

19 modelli/models



A

AL

Ventilatori centrifughi per medio-alte pressioni e medie portate
 Ventilateurs centrifuges pour hautes ou moyennes pressions et debits moyens
 Centrifugal fans for medium pressures and medium flow rates
 Zentrifugalventilatoren für mittelhohen Druck und mittlere Leistung
 Ventiladores centrifugos para medias-altas presiones y medio alcance

Portata/Rate

m³/s 0,02 ÷ 3,0
 m³/h 65 ÷ 10.800

Pressione/Pressure

Pa 491 ÷ 6.867
 mm. H₂O 50 ÷ 700

Kurt Maier Motor-Press GmbH

Birkenweg 18 * DE - 37589 Kalefeld

☎ +49(0)5553 99 01 0 * 📠 +49(0)5553 99 01 88 * ✉ E-mail: info@kmp.de * <http://www.kmp.de>



Mistral-Radialgebläse



AR 29 modelli/models

ARL



Ventilatori centrifughi per medio-alte pressioni e medio alte portate
 Ventilateurs centrifuges pour hautes ou moyennes pressions et debits eleves ou meyens
 Centrifugal fans for medium-high pressures and medium-high flow rates
 Zentrifugalventilatoren für mittelhohen Druck und mittelhoher Leistung
 Ventiladores centrifugos para medias-altas presiones y medio-alto alcance

Portata/Rate		Pressione/Pressure	
m ³ /s	0,10 ÷ 7,25	Pa	589 ÷ 9.025
m ³ /h	350 ÷ 26.100	mm. H ₂ O	60 ÷ 920

H 34 modelli/models

HL



Ventilatori centrifughi per alte pressioni e basse portate
 Ventilateurs centrifuges pour hautes pressions et debits faibles
 Centrifugal fans for high pressures and low flow rates
 Zentrifugalventilatoren für hohen Druck und geringe Leistung
 Ventiladores centrifugos para altas presiones y bajo alcance

Portata/Rate		Pressione/Pressure	
m ³ /s	0,02 ÷ 1,13	Pa	1.472 ÷ 10.301
m ³ /h	60 ÷ 4.050	mm. H ₂ O	150 ÷ 1.050

HR 24 modelli/models

HRL



Ventilatori centrifughi per alte pressioni e basse portate e basso livello sonoro
 Ventilateurs centrifuges pour hautes pressions et debits faibles et bas niveau sonore
 Centrifugal fans for high pressures and low flow rates and low noise level
 Zentrifugalventilatoren für hohen Druck und geringe Leistung geräuscharm
 Ventiladores centrifugos para altas presiones y bajo alcance y minimo nivel sonoro

Portata/Rate		Pressione/Pressure	
m ³ /s	0,04 ÷ 1,21	Pa	2.845 ÷ 9.810
m ³ /h	160 ÷ 4.340	mm. H ₂ O	290 ÷ 1.000

TC



Ventilatori trasmissione esecuzioni a richiesta
 Ventilateurs a transmission execution sur demande
 Belt drive fans made-to-order
 Spezialventilatoren mit Riemenantrieb
 Ventiladores transmision realización por encargo

MVP 30 modelli/models



Ventilatori elicoidale da parete
 Ventilateurs helicoidaux muraux
 Axial wall fans
 Wandringlüfter
 Ventiladores helicoidales de pared

Portata/Rate		Pressione/Pressure	
m ³ /s	0,14 ÷ 4,86	Pa	0 ÷ 220
m ³ /h	500 ÷ 17.500	mm. H ₂ O	0 ÷ 22

Kurt Maier Motor-Press GmbH

Birkenweg 18 * DE - 37589 Kalefeld

☎ +49(0)5553 99 01 0 * 📠 +49(0)5553 99 01 88 * ✉ E-mail: info@kmmp.de * <http://www.kmmp.de>



Mistral-Radialgebläse

Mistral-Radialgebläse



TDA 60 modelli/models



Ventilatori elicoidali intubati a cassa lunga (TDA) e a cassa corta (TDA/C)
 Ventilateurs helicoidaux carenes avec caisse longue (TDA) et avec caisse courte (TDA/C)
 Ducted axial fans with long casing (TDA) and with short casing (TDA/C)
 Wandringventilatore mit langen Gehäuse (TDA) und mit kurzen Gehäuse (TDA/C)
 Helicoidales entubados con casco largo (TDA) y con casco corto (TDA/C)

Portata/Rate

m³/s 0,042 ÷ 14,25
 m³/h 150 ÷ 51,300

Pressione/Pressure

Pa 0 ÷ 540
 mm. H₂O 0 ÷ 55

Q



Ventilatori centrifughi per applicazioni speciali
 Ventilateurs centrifuges pour applications speciales
 Centrifugal fans for special applications
 Zentrifugalventilatoren für Sonderanwendungen
 Ventiladores centrifugos para aplicaciones especiales

Prodotti Speciali



Ventilatori speciali esecuzioni a richiesta - Ventilateurs speciaux execution sur demande - Special fans made to order
 Spezialventilatoren für spezielle Anwendungen - Ventiladores centrifugos realización por encargo

N-SV 18 modelli/models



Ventilatori centrifughi versione alta temperatura (max 250 C)
 Ventilateurs centrifuges version haute temperature (max 250 C)
 Centrifugal fans high-temperature model (max. 250 C)
 Zentrifugalventilatoren Ausführung für hohe Temperaturen (max. 250 C)
 Ventiladores centrifugos modelo alta temperatura (máx. 250 C)

Portata/Rate

m³/s 0,017 ÷ 0,7
 m³/h 60 ÷ 2.500

Pressione/Pressure

Pa 59 ÷ 1.472
 mm. H₂O 6 ÷ 150

Alcuni dei nostri accessori



Accessori per ventilatori centrifughi
 Accessoires pour ventilateurs centrifuges
 Centrifugal fan accessories
 Zubehör für Zentrifugalventilatoren
 Accesorios para ventiladores centrifugos

Kurt Maier Motor-Press GmbH

Birkenweg 18 * DE - 37589 Kalefeld

☎ +49(0)5553 99 01 0 * 📠 +49(0)5553 99 01 88 * ✉ E-mail: info@kmmp.de * <http://www.kmmp.de>

